

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|--------------------------|----------------|----------------------|-------------------------|------------------|
| 09/862,857 | 05/22/2001 | Christopher J. Klein | ONE01 P-300 | 8374 |
| 75 | 90 01/12/2005 | | EXAMINER | |
| Price, Heneveld, Cooper, | | | AU, SCOTT D | |
| DeWitt & Littor | · - | | ART UNIT | PAPER NUMBER |
| 695 Kenmoor, S | S.E. | | ARTONIT | PAPER NUMBER |
| Post Office Box 2567 | | | 2635 | |
| Grand Rapids, | MI 49501 | | DATE MAILED: 01/12/2005 | |

Please find below and/or attached an Office communication concerning this application or proceeding.

| , | | | 1 1 1 | | | |
|--|---|--|------------|--|--|--|
| | Applicati n No. | Applicant(s) | -01 | | | |
| | 09/862,857 | KLEIN ET AL. | 1 | | | |
| Office Action Summary | Examin r | Art Unit | | | | |
| | Scott Au | 2635 | | | | |
| Th MAILING DATE of this communication app Period for Reply | pears on the cover shelt w | with the corr spondenc addr | ss | | | |
| A SHORTENED STATUTORY PERIOD FOR REPL THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a repl If NO period for reply is specified above, the maximum statutory period of Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b). | 36(a). In no event, however, may a y within the statutory minimum of th will apply and will expire SIX (6) MC a, cause the application to become b | reply be timely filed irty (30) days will be considered timely. NTHS from the mailing date of this comm ABANDONED (35 U.S.C. § 133). | unication. | | | |
| Status . | • | | | | | |
| 1)⊠ Responsive to communication(s) filed on <u>02 S</u> | September 2004. | | | | | |
| | s action is non-final. | | | | | |
| 3) Since this application is in condition for allowa | | | | | | |
| closed in accordance with the practice under E | closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. | | | | | |
| Disposition of Claims | | | | | | |
| 4) Claim(s) 1-12 and 21-27 is/are pending in the | | | | | | |
| 4a) Of the above claim(s) is/are withdra | wn from consideration. | | | | | |
| 6) Claim(s) <u>1-6, and 21-22</u> is/are rejected. | 5) Claim(s) 7-12 and 23-27 is/are allowed. | | | | | |
| 7) Claim(s) is/are objected to. | | | | | | |
| | Claim(s) is are subjected to: Claim(s) are subject to restriction and/or election requirement. | | | | | |
| Application Papers | | | | | | |
| 9) The specification is objected to by the Examine | er. | | | | | |
| 10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner. | | | | | | |
| Applicant may not request that any objection to the | | | | | | |
| Replacement drawing sheet(s) including the correct | tion is required if the drawin | g(s) is objected to. See 37 CFR | 1.121(d). | | | |
| 11)☐ The oath or declaration is objected to by the Ex | xaminer. Note the attach | ed Office Action or form PTO- | 152. | | | |
| Priority under 35 U.S.C. § 119 | | | | | | |
| 12)☐ Acknowledgment is made of a claim for foreign a)☐ All b)☐ Some * c)☐ None of: | | § 119(a)-(d) or (f). | | | | |
| 1. Certified copies of the priority document | | A. a. B. a. C. a. D. a. | | | | |
| 2. Certified copies of the priority document3. Copies of the certified copies of the priority | | ·· ——— | 200 | | | |
| Copies of the certified copies of the prio application from the International Burea | · · | n received in this National Sta | age | | | |
| * See the attached detailed Office action for a list | • | ot received. | | | | |
| | | • | • | | | |
| Attachment(s) | | | | | | |
| 1) Notice of References Cited (PTO-892) | | Summary (PTO-413) | | | | |
| Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | | o(s)/Mail Date Informal Patent Application (PTO-15 | i2) | | | |
| Paper No(s)/Mail Date | 6) Other: | | , | | | |

DETAILED ACTION

This communication is in response to applicant's response to an Amendment A, which is filed September 2, 2004.

An amendment A to the claims 1-12 and 21-27 have been entered and made of record in the Application of Klein et al. for a "System and Method for Remote Opening of Handicap Access Doors" filed May 22, 2001.

Claims 1-12 and 21-27 are pending.

Claims 13-20 are cancelled.

Response to Arguments

Applicant's arguments with respect to claims1-6 and 21-22 have been considered but are most in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claim 1 is rejected under 35 U.S.C. 103(a) as being unpatentable over Yamaguchi et al. (US# 4,853,524).

Art Unit: 2635

Referring to claim 1, Yamaguchi et al. disclose a control system for remotely activating an automatically opening door (col. 1 lines 6-11) comprising:

a plurality of transmitters (1) (i.e. cards) held by different people, each transmitters transmits control signals (col. 5 lines 61-68);

a plurality of doors (col. 3 lines 55-60) and it is inherent that said doors being mounted in a building, each of said doors including an actuator (24) (i.e. equipment for actuating the door) (col. 8 lines 45-50) for automatically opening and closing said door and a receiver electrically coupled to said actuator for receiving control signals from said transmitters (1) (i.e. cards) and activating said actuator to open said door in response to the receipt of said control signals (col. 8 lines 45-55), wherein any one of said card may be used to open any of said doors upon their authorization (col. 8 lines 10-20 and 31-55). However, Yamaguchi et al. did not explicitly disclose the plurality of doors is mounted in different buildings.

One skilled in the art recognizes having the plurality of doors mounted in different buildings or having plurality of doors mounted within a building is based upon the size of a company or an organization. If a company or an organization with a large number of people would require more than one building which will allow the individual person to access through doors around the building complex.

Claim 2 is rejected under 35 U.S.C. 103(a) as being unpatentable over Yamaguchi et al. (US# 4,853,524) as applied to claim 1, and further in view of Duhame et al. (US# 5,541,585).

Referring to claim 2, Yamaguchi et al. disclose a control system of claim 1. However, Yamaguchi et al. did not explicitly disclose wherein the control signals transmitted from said transmitters are RF signals.

In the same field of endeavor of security system, Duhame et al. disclose wherein the control signals transmitted from said transmitters are RF signals (col. 4 lines 35-37) to a fixed transceiver 16.

One of ordinary skill in the art understands that RF signals of Duhame et al. is desirable in the communication system of Yamaguchi et al. because both Yamaguchi et al. and Duhame suggest the individual with the authorized portable device could access to door entrances of a building. Therefore, it would have been obvious to a person of ordinary skill in the art at the time of the invention was made to include RF signals communication of Duhame et al. in the security system of Yamaguchi et al. with the motivation for doing so would allow the individual with the authorized portable device to gain access to the security doors.

Claims 3-5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yamaguchi et al. (US# 4,853,524) as applied to claim 1 above, and further in view of Murray (US# 5,898,397).

Referring to claim 3, Yamaguchi et al. disclose a control system of claim 1. However, Yamaguchi et al. did not explicitly disclose wherein the control signals transmitted from said transmitters are rolling code signals.

Art Unit: 2635

In the same field of endeavor of signal type, Murray discloses wherein the control signals transmitted from said transmitters are rolling code signals (col. 9 lines 26-51; see Figure 11) is used in a remote keyless entry system.

One of ordinary skill in the art understands that rolling code signals of Murray is desirable in the security system of Yamaguchi et al. because Yamaguchi et al. suggest the individual with the authorized portable device could gain access to door entrances of a building (col. 2 line 63 to col. 3 line 2) and Murray suggest a home automation system (col. 1 lines 18-22). Therefore, it would have been obvious to a person of ordinary skill in the art at the time of the invention was made to include the control signals transmitted from said transmitters are rolling code signals disclosed by Murray into wireless access system of Yamaguchi et al. with the motivation for doing so would allow rolling code signals to access door system.

Referring to claim 4, Yamaguchi in view Murray disclose a control system of claim 3, Murray discloses wherein said rolling code control signals transmitted from said plurality of transmitters are encrypted and decrypted using a common predetermined manufacturer's key (col. 9 lines 26-51; see Figure 11).

Referring to claim 5, Yamaguchi et al. in view Murray disclose a control system of claim 4, Murray discloses wherein said common predetermined manufacturer's key is verified by the receiver using specified bits of a serial number as discrimination bits, the

serial number being included in the rolling code signal transmitted from one of said transmitters (col. 9 lines 26-51; see Figure 11).

Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Yamaguchi et al. (US# 4,853,524) in view Murray (US# 5,898,397) as applied to claim 3 above, and further in view of Farris et al. (US# 6,154,544).

Referring to claim 6, Yamaguchi et al. in view Murray disclose a control system of claim 3. However, Yamaguchi et al. in view Murray did not explicitly disclose wherein said rolling code signals transmitted from said plurality of transmitters each include a 32-bit serial number.

In the same field of endeavor of security system, Farris et al. disclose wherein said rolling code signals transmitted from said plurality of transmitters each include a 32-bit serial number (col. 3 lines 13-25) in order to produce an amplitude modulated encrypted signal.

One of ordinary skill in the art understands that 32 bit serial number of Farris et al. is desirable in the security system of Yamaguchi et al. in view Murrary because Murray and Farris et al. both suggest a garage door security system. Therefore, it would have been obvious to a person of ordinary skill in the art at the time of the invention was made to include said rolling code signals each include a 32-bit serial number disclosed by Farris et al. into remote access system of Yamaguchi et al. in view

Art Unit: 2635

Murrary with the motivation for doing so would allow a 32 bit size signal is used to access door system.

Claims 21-22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yamaguchi et al. (US# 4,853,524) in view Bruwer (US# 6,166,650).

Referring to claim 21, Yamaguchi et al. disclose a secure system to allow multiple users (i.e. individual carrying cards 25a, 25b, 25c) to remotely open a plurality of electronically actuated doors in numerous locations, said system (col. 8 lines 20-55) comprising:

a plurality of transmitters (25a,25b,25c) (i.e. cards), said transmitters transmitting open door signals (col. 8 lines 31-40) and

a plurality of receivers (24) (i.e. equipments to actuated doors) in electrical communication with said plurality of electronically actuated doors to receive open door signals from said transmitters (25a,25b,25c) (i.e. cards) to initiate the opening of said doors in response to the receipt of said signals, each said receivers is inherent including at least one decoder microchip comprising a circuit in which second identification value is stored (col. 2 line 63 to col. 3 line 2 and col. 10 lines 17-21).

However, Yamaguchi et al. did not explicitly disclose an encoder microchip comprising a circuit in which in an identification value is stored, a circuit in which a counter value is stored, a logic circuit that changes the value of the counter value each

Art Unit: 2635

time the transmitter is operated, and a non-linear encoding circuit to encode the counter value to generate a transmission value, and

a circuit in which the transmission value from an encoder microchip of a transmitter is received, a circuit in which the transmission value is decoded to generate a decoded counter value, and a circuit in which the second decoded counter value obtained from the previous transmission is stored.

In the same field of endeavor of access control system, Bruwer discloses an encoder microchip (10) (i.e. encoder circuit) comprising a circuit in which in an identification value is stored, a circuit in which a counter value is stored, a logic circuit that changes the value of the counter value each time the transmitter is operated, and a non-linear encoding circuit to encode the counter value to generate a transmission value, and

a circuit (12) (i.e. decoder) in which the transmission value from an encoder microchip of a transmitter is received, a circuit in which the transmission value is decoded to generate a decoded counter value, and a circuit in which the second decoded counter value obtained from the previous transmission is stored (col. 11 lines 15-43, col. 12 lines 7-65 and col. 19 line 33 to col. 20 line 54; see Figures 1-3) in order to access a security area.

One of ordinary skill in the art understands that control circuitry of Bruwer is desirable in the security system of Yamaguchi et al. because Yamaguchi et al. suggest suggest the individual with the authorized portable device can gain access to door entrances of a building (col. 2 line 63 to col. 3 line 2) and Bruwer suggests the security

system is used in buildings, garage door and gate openers (col. 1 lines 23-32).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of the invention was made to include an encoder comprising a circuit in which in an identification value is stored, a circuit in which a counter value is stored, a logic circuit that changes the value of the counter value each time the transmitter is operated, and a non-linear encoding circuit to encode the counter value to generate a transmission value, and a circuit in which the transmission value from an encoder microchip of a transmitter is received, a circuit in which the transmission value is decoded to generate a decoded counter value, and a circuit in which the second decoded counter value obtained from the previous transmission is stored of system disclosed by Bruwer into wireless access system of Yamaguchi et al. with the motivation for doing so would allow a transmitter with the valid id is used to operate an access door system.

Referring to claim 22, Yamaguchi et al. in view of Bruwer disclose the system of claim 21, Bruwer further disclose wherein each receiver comprises a number of decoder microchips, said number of decoder microchips corresponding to the number of transmitters in the system (col.11 lines 29-43; see Figures 1-3).

Allowable Subject Matter

Claims 7-12 and 23-27 are allowed.

Referring to claim 7, the following is a statement of reasons for the indication of

Art Unit: 2635

allowable subject matter: the prior art fail to suggest limitations that "said control circuit supplies the activation signal to the actuator when any received code control signal has a serial number and hopping code pair that does not correspond to serial number and hopping code pair previously stored in said table".

Referring to claim 23, the following is a statement of reasons for the indication of allowable subject matter: the prior art fail to suggest limitations that "said control circuit is configured to supply an activation signal to open/close a door when any received open/close door signal has a serial number and hopping code pair that does not correspond to a serial number and hopping code pair previously stored in said table.

Regarding claims 8-12 and 24-27 are allowed because the claims are dependent upon claims 7 and 23.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Waggamon et al. (US# 6,049,289) disclose a remote control garage door system using rolling code.

Weston (US# 3,824,752) disclose multiple entrances to a parking garage.

Application/Control Number: 09/862,857 Page 11

Art Unit: 2635

Any inquiry concerning this communication or earlier communications form the examiner should be directed to Scott Au whose telephone number is (571) 272-3063. The examiner can normally be reached on Mon-Fri, 8:30AM – 5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Horabik can be reached at (571) 272-3068. The fax phone numbers for the organization where this application or proceeding is assigned are (703)-872-3906.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703)-305-3900.

Scott Au

MICHAEL HORABIK
SUPERVISORY PATENT EXAMINER

TECHNOLOGY CENTER 2600